

Nome del prodotto:

MG 50 J.Special SH

MG 70/100 Family S

MG 70/100 Family SH

MG 100/150 B. Family S

MG 100/150 B. Family SH

Codice del prodotto

SH50AML  
P (PVC)

S70AML  
P (PVC) / S (STEEL)

SH70AML  
P (PVC) / S (STEEL)

S100AML  
P (PVC) / S (STEEL)

SH100AML  
P (PVC) / S (STEEL)

EAN



793597820181

0793597820648 / 0793597820228

0793597820648 / 0793597820211

0793597820655 / 0793597820266

0793597820655 / 0793597820259

### Capacità uova (circa)

Gallina - Anatra - Germano reale	40/45	105	70	140	105
Fagiana	67	120	80	160	120
Pernice rossa	80	405	270	540	405
Pernice - Quaglia	96	450	300	600	450
Tacchina	40	90	60	120	90
Oca (vassoio specifico)	20/25	27	18	36	27

### Capienza di schiusa

Gallina - Anatra - Germano reale	40/45	**	35	**	45
Fagiana	67	**	45	**	50
Pernice rossa	80	**	135	**	180
Pernice - Quaglia	96	**	150	**	125
Tacchina	40	**	30	**	45
Oca (vassoio specifico)	20/25	**	9	**	12

## Dati tecnici

Alimentazione	220-240V/50-60 HZ *DISPONIBILE ANCHE A 110V*	220-240V/50-60 HZ *DISPONIBILE ANCHE A 110V*	220-240V/50-60 HZ *DISPONIBILE ANCHE A 110V*	220-240V/50-60 HZ *DISPONIBILE ANCHE A 110V*	*DISPONIBILE 220-240V/50-60 HZ *DISPONIBILE ANCHE A 110V*
Consumo di energia (watt)	100W	100W	100W	120W	120W
Dimensioni ( Cm )	41 X 53 X 43,5 H	43,5 X 58 X 47,50 H	43,5 X 58 X 47,50 H	51 X 62,5 X 56 H	51 X 62,5 X 56 H
Dimensioni scatola ( Cm )	51 x 62,5 x 51,5 H	53,5 X 69 X 55 H	53,5 X 69 X 55 H	61,5 x 71 x 62 H	61,5 X 71 X 62H
Unità x pallet	8 PEZZI	6 PEZZI	6 PEZZI	6 PEZZI	6 PEZZI
Dimensioni pallet	80 X 120 X 218 H	80 X120 X 177 H	80 X120 X 177 H	80 X 120 X 198 H	80 X 120 X 198 H

## Versions

SH50AML (PVC)	INCUBAZIONE + SCHIUSA	S100AML (PVC)	TUTTA INCUBAZIONE
			S100AMLS (STEEL)
S70AML (PVC)	TUTTA INCUBAZIONE	SH100AML (PVC)	INCUBAZIONE + SCHIUSA
	S70AMLS (STEEL)		TUTTA INCUBAZIONE
SH70AML (PVC)	INCUBAZIONE + SCHIUSA		
	SH70AMLS (STEEL)	INCUBAZIONE + SCHIUSA	

Product Name :

MG 50 J.Special SH

MG 70/100 Family S

MG 70/100 Family SH

MG 100/150 B. Family S

MG 100/150 B. Family SH

Product Code:

SH50AML  
P (PVC)

S70AML  
P (PVC) / S (STEEL)

SH70AML  
P (PVC) / S (STEEL)

S100AML  
P (PVC) / S (STEEL)

SH100AML  
P (PVC) / S (STEEL)

EAN



793597820181

0793597820648 / 0793597820228

0793597820648 / 0793597820211

0793597820655 / 0793597820266

0793597820655 / 0793597820259

**Egg Capacity (approx)**

Hen - Duck - Mallard	40/45	105	70	140	105
Pheasant	67	120	80	160	120
Red leg	80	405	270	540	405
Partridge - Quail	96	450	300	600	450
Turkey	40	90	60	120	90
Goose (specific tray)	20/25	27	18	36	27

**Hatching basket capacity**

Hen - Duck - Mallard	40/45	**	35	**	45
Pheasant	67	**	45	**	50
Red leg	80	**	135	**	180
Partridge - Quail	96	**	150	**	125
Turkey	40	**	30	**	45
Goose (specific tray)	20/25	**	9	**	12

**Technical data**

Power supply	220-240V/50-60 HZ *ALSO AVAILABLE 110V*	220-240V/50-60 HZ *ALSO AVAILABLE 110V*	220-240V/50-60 HZ *ALSO AVAILABLE 110V*	220-240V/50-60 HZ *ALSO AVAILABLE 110V*	220-240V/50-60 HZ *ALSO AVAILABLE 110V*
Power Consumption (Watts)	100W	100W	100W	120W	120W
Sizes ( Cm )	41 X 53 X 43,5 H	43,5 X 58 X 47,50 H	43,5 X 58 X 47,50 H	51 X 62,5 X 56 H	51 X 62,5 X 56 H
Crt box sizes ( Cm )	51 x 62,5 x 51,5 H	53,5 X 69 X 55 H	53,5 X 69 X 55 H	61,5 x 71 x 62 H	61,5 X 71 X 62H
Units x pallet	8 PIECES	6 PIECES	6 PIECES	6 PIECES	6 PIECES
Pallet sizes	80 X 120 X 218 H	80 X120 X 177 H	80 X120 X 177 H	80 X 120 X 198 H	80 X 120 X 198 H

**Versions**

<b>SH50AML (PVC)</b>	SETTER + HATCHER	<b>S100AML (PVC)</b>	ONLY SETTER
		<b>S100AML (STEEL)</b>	ONLY SETTER
<b>S70AML (PVC)</b>	ONLY SETTER	<b>SH100AML (PVC)</b>	SETTER + HATCHER
<b>S70AML (STEEL)</b>	ONLY SETTER	<b>SH100AML (STEEL)</b>	SETTER + HATCHER
<b>SH70AML (PVC)</b>	SETTER + HATCHER		
<b>SH70AML (STEEL)</b>	SETTER + HATCHER		

Nom du produit :

MG 50 J.Special SH

MG 70/100 Family S

MG 70/100 Family SH

MG 100/150 B. Family S

MG 100/150 B. Family SH

Code produit :

SH50AML  
P (PVC)

S70AML  
P (PVC) / S (STEEL)

SH70AML  
P (PVC) / S (STEEL)

S100AML  
P (PVC) / S (STEEL)

SH100AML  
P (PVC) / S (STEEL)

EAN



793597820181

0793597820648 / 0793597820228

0793597820648 / 0793597820211

0793597820655 / 0793597820266

0793597820655 / 0793597820259

### Capacité en œufs (approx)

Poule - Canard - Colvert	40/45	105	70	140	105
Faisan	67	120	80	160	120
Perdrix rouge	80	405	270	540	405
Perdrix - Caille	96	450	300	600	450
Dinde	40	90	60	120	90
Oie (plateau spécifique)	20/25	27	18	36	27

### Capacité d'éclosion

Poule - Canard - Colvert	40/45	**	35	**	45
Faisan	67	**	45	**	50
Perdrix rouge	80	**	135	**	180
Perdrix - Caille	96	**	150	**	125
Dinde	40	**	30	**	45
Oie (plateau spécifique)	20/25	**	9	**	12

## Données techniques

Alimentation	220-240V/50-60 Hz - DISPONIBLE AUSSI EN 110V	220-240V/50-60 Hz - DISPONIBLE AUSSI EN 110V	220-240V/50-60 Hz - DISPONIBLE AUSSI EN 110V	220-240V/50-60 Hz - DISPONIBLE AUSSI EN 110V	220-240V/50-60 Hz - DISPONIBLE AUSSI EN 110V
Consommation électrique (Watts)	100W	100W	100W	120W	120W
Dimensions (cm)	41 X 53 X 43,5 H	43,5 X 58 X 47,50 H	43,5 X 58 X 47,50 H	51 X 62,5 X 56 H	51 X 62,5 X 56 H
Dimensions de la boîte (cm)	51 x 62,5 x 51,5 H	53,5 X 69 X 55 H	53,5 X 69 X 55 H	61,5 x 71 x 62 H	61,5 X 71 X 62H
Unités par palette	8 pièces	6 pièces	6 pièces	6 pièces	6 pièces
Dimensions des palettes	80 X 120 X 218 H	80 X120 X 177 H	80 X120 X 177 H	80 X 120 X 198 H	80 X 120 X 198 H

## Versions

SH50AMLP (PVC)	INCUBATION + ÉCLOSION	S100AMLP (PVC)	SEULE INCUBATION
			S100AMLS (STEEL)
S70AMLP (PVC)	SEULE INCUBATION	SH100AMLP (PVC)	INCUBATION + ÉCLOSION
S70AMLS (STEEL)	SEULE INCUBATION		SH100AMLS (STEEL)
SH70AMLP (PVC)	INCUBATION + ÉCLOSION		
	SH70AMLS (STEEL)	INCUBATION + ÉCLOSION	

Produktname:

MG 50 J.Special SH

MG 70/100 Family S

MG 70/100 Family SH

MG 100/150 B. Family S

MG 100/150 B. Family SH

Produktcode:

SH50AML  
P (PVC)

S70AML  
P (PVC) / S (STEEL)

SH70AML  
P (PVC) / S (STEEL)

S100AML  
P (PVC) / S (STEEL)

SH100AML  
P (PVC) / S (STEEL)

EAN



793597820181

0793597820648 / 0793597820228

0793597820648 / 0793597820211

0793597820655 / 0793597820266

0793597820655 / 0793597820259

### Eikapazität (ca.)

Henne - Ente - Stockente	40/45	105	70	140	105
Fasan	67	120	80	160	120
Rotes Rebhuhn	80	405	270	540	405
Rebhuhn - Wachtel	96	450	300	600	450
Truthahn	40	90	60	120	90
Gans (spezifisches Tablett)	20/25	27	18	36	27

### Schlupfkapazität

Henne - Ente - Stockente	40/45	**	35	**	45
Fasan	67	**	45	**	50
Rotes Rebhuhn	80	**	135	**	180
Rebhuhn - Wachtel	96	**	150	**	125
Truthahn	40	**	30	**	45
Gans (spezifisches Tablett)	20/25	**	9	**	12

## Technische Daten

Stromversorgung	220-240V/50-60 Hz - AUCH IN 110V ERHÄLTlich	220-240V/50-60 Hz - AUCH IN 110V ERHÄLTlich	220-240V/50-60 Hz - AUCH IN 110V ERHÄLTlich	220-240V/50-60 Hz - AUCH IN 110V ERHÄLTlich	220-240V/50-60 Hz - AUCH IN 110V ERHÄLTlich
Stromverbrauch (Watt)	100W	100W	100W	120W	120W
Maße (cm)	41 X 53 X 43,5 H	43,5 X 58 X 47,50 H	43,5 X 58 X 47,50 H	51 X 62,5 X 56 H	51 X 62,5 X 56 H
Kartongrößen (cm)	51 x 62,5 x 51,5 H	53,5 X 69 X 55 H	53,5 X 69 X 55 H	61,5 x 71 x 62 H	61,5 X 71 X 62H
Einheiten pro Palette	8 Stücke	6 Stücke	6 Stücke	6 Stücke	6 Stücke
Palettengröße	80 X 120 X 218 H	80 X120 X 177 H	80 X120 X 177 H	80 X 120 X 198 H	80 X 120 X 198 H

## Versions

<b>SH50AML (PVC)</b>	INKUBATION + SCHLUPF	<b>S100AML (PVC)</b>	INKUBATION
		<b>S100AML (STEEL)</b>	INKUBATION
<b>S70AML (PVC)</b>	INKUBATION	<b>SH100AML (PVC)</b>	INKUBATION + SCHLUPF
<b>S70AML (STEEL)</b>	INKUBATION	<b>SH100AML (STEEL)</b>	INKUBATION + SCHLUPF
<b>SH70AML (PVC)</b>	INKUBATION + SCHLUPF		
<b>SH70AML (STEEL)</b>	INKUBATION + SCHLUPF		



Nombre del producto:

MG 50 J.Special SH

MG 70/100 Family S

MG 70/100 Family SH

MG 100/150 B. Family S

MG 100/150 B. Family SH

Código del producto:

SH50AML  
P (PVC)

S70AML  
P (PVC) / S (STEEL)

SH70AML  
P (PVC) / S (STEEL)

S100AML  
P (PVC) / S (STEEL)

SH100AML  
P (PVC) / S (STEEL)

EAN



793597820181

0793597820648 / 0793597820228

0793597820648 / 0793597820211

0793597820655 / 0793597820266

0793597820655 / 0793597820259

### Capacidad de huevos (aprox.)

Gallina - Pato - Pato selvático	40/45	105	70	140	105
Faisán	67	120	80	160	120
Perdiz roja	80	405	270	540	405
Perdiz - Codorniz	96	450	300	600	450
Pavo	40	90	60	120	90
Ganso (bandeja específica)	20/25	27	18	36	27

### Capacidad de eclosión

Gallina - Pato - Pato selvático	40/45	**	35	**	45
Faisán	67	**	45	**	50
Perdiz roja	80	**	135	**	180
Perdiz - Codorniz	96	**	150	**	125
Pavo	40	**	30	**	45
Ganso (bandeja específica)	20/25	**	9	**	12

## Datos técnicos

Alimentación eléctrica	220-240V/50-60 Hz - DISPONIBLE TAMBIÉN EN 110V	220-240V/50-60 Hz - DISPONIBLE TAMBIÉN EN 110V	220-240V/50-60 Hz - DISPONIBLE TAMBIÉN EN 110V	220-240V/50-60 Hz - DISPONIBLE TAMBIÉN EN 110V	220-240V/50-60 Hz - DISPONIBLE TAMBIÉN EN 110V
Absorción total (Watts)	100W	100W	100W	120W	120W
Dimensiones (cm)	41 X 53 X 43,5 H	43,5 X 58 X 47,50 H	43,5 X 58 X 47,50 H	51 X 62,5 X 56 H	51 X 62,5 X 56 H
Tamaño de la caja (cm)	51 x 62,5 x 51,5 H	53,5 X 69 X 55 H	53,5 X 69 X 55 H	61,5 x 71 x 62 H	61,5 X 71 X 62H
Unidades por paleta	8 UNIDADES	6 UNIDADES	6 UNIDADES	6 UNIDADES	6 UNIDADES
Tamaño de la paleta	80 X 120 X 218 H	80 X120 X 177 H	80 X120 X 177 H	80 X 120 X 198 H	80 X 120 X 198 H

## Versions

SH50AML (PVC)	INCUBACIÓN + ECLOSIÓN	S100AML (PVC)	TODA INCUBACIÓN
			S100AML (STEEL)
S70AML (PVC)	TODA INCUBACIÓN	SH100AML (PVC)	INCUBACIÓN + ECLOSIÓN
	S70AML (STEEL)		TODA INCUBACIÓN
SH70AML (PVC)	INCUBACIÓN + ECLOSIÓN		
	SH70AML (STEEL)	INCUBACIÓN + ECLOSIÓN	